

Ordering Information

Part No.	Description
MODAT-550A-OA53-R10-TW	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 1D/2D barcode, 2GB LPDDR3, 16GB eMMC, NFC, TW reg, RoHS
MODAT-550A-OA53-R10-CN	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 1D/2D barcode, 2GB LPDDR3, 16GB eMMC, NFC, CN reg, RoHS
MODAT-550A-OA53-R10-EU	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 1D/2D barcode, 2GB LPDDR3, 16GB eMMC, NFC, EU reg, RoHS
MODAT-550A-OA53-R10-US	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 1D/2D barcode, 2GB LPDDR3, 16GB eMMC, NFC, US reg, RoHS
MODAT-550A-OA53-ET-R10-TW	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 2GB LPDDR3, 16GB eMMC, NFC, TW reg, RoHS
MODAT-550A-OA53-ET-R10-CN	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 2GB LPDDR3, 16GB eMMC, NFC, CN reg, RoHS
MODAT-550A-OA53-ET-R10-EU	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 2GB LPDDR3, 16GB eMMC, NFC, EU reg, RoHS
MODAT-550A-OA53-ET-R10-US	5.5" Android 7.0 PDA with Octa-Core Cortex-A53 1.5GHz, 802.11 a/b/g/n WiFi, 4.0 LE Bluetooth, (GSM, 3G, LTE), GPS, 13M pixel camera, 2GB LPDDR3, 16GB eMMC, NFC, US reg, RoHS

Optional Accessory List

Item	Part No.	Description
Cradle	MODAT-531A-CR01-R10	charging cradle
Standard Pouch	7Z000-MODAT531APOUCH	pouch, black

Packing List

Item	Part No.	Q'ty
USB Cable	32001-014300-100-RS	1
AC-DC Adapter	63040-480015-001-RS	1
Hand Strap	46035-000300-RS	1

Cradle Specification

Model	Description
I/O Interface	DC Input 1 x Micro USB jack
Power	Power Supply 5V/3A
Environment	Operating Temperature -10°C ~ 50°C
	Storage Temperature -20°C ~ 60°C
	Humidity 10% ~ 95% non condensing
Physical Characteristics	Dimensions (LxWxH) (mm) 115.0 x 66.0 x 50.4
	Weight 194 g

