



























# Mobile Core™ i7/i5/i3/Celeron® CPU List

Supported Sockets	Brand	Process	Cores/Threads	Package Type	Processor Number	Processor Base Frequency	Cache	TDP	Processor Graphics	Graphics Base Frequency	Memory Types	Chipset			
rPGA988B	Core™ i7 Extreme Edition	22nm Ivy Bridge	4/8	PGA	i7-3940XM	3 GHz	8 MB	55 W	-	1.35 GHz	DDR3/L/-RS 1333/1600	QM77/ QM67			
			4/8		i7-3920XM	2.9 GHz	8 MB	55 W	-	1.3 GHz					
	Core™ i7 Extreme Edition	32nm Sandy Bridge	4/8		i7-2960XM	2.7 GHz	8 MB	55 W	-	1.3 GHz	DDR3-1066/1333/1600				
			4/8		i7-2920XM	2.5 GHz	8 MB	55 W	-	1.3 GHz					
	Core™ i7	22nm Ivy Bridge	4/8		i7-3840QM	2.8 GHz	8 MB	45 W	-	1.3 GHz	DDR3/L/-RS 1333/1600	QM77/ QM67/ HM65			
			4/8		i7-3820QM	2.7 GHz	8 MB	45 W	-	1.25 GHz					
			4/8		i7-3740QM	2.7 GHz	6 MB	45 W	-	1.3 GHz					
			4/8		i7-3720QM	2.6 GHz	6 MB	45 W	-	1.25 GHz					
			4/8		i7-3632QM	2.2 GHz	6 MB	35 W	-	1.15 GHz					
			4/8		i7-3630QM	2.4 GHz	6 MB	45 W	-	1.15 GHz					
			4/8		i7-3612QM	2.1 GHz	6 MB	35 W	-	1.1 GHz					
			4/8		i7-3610QM	2.3 GHz	6 MB	45 W	-	1.1 GHz					
			4/8		i7-3610QE	2.3 GHz	6 MB	45 W	-	1.0 GHz			DDR3/L 1333/1600		
			2/4		i7-3520M	2.9 GHz	4 MB	35 W	-	1.25 GHz			DDR3/L/-RS 1333/1600		
			Core™ i5		22nm Ivy Bridge	4/8	i7-2860QM	2.5 GHz	8 MB	45 W	-		1.3 GHz	DDR3-1066/1333/1600	
						4/8	i7-2820QM	2.3 GHz	8 MB	45 W	-		1.3 GHz		
						4/8	i7-2760QM	2.4 GHz	6 MB	45 W	-		1.3 GHz		
						4/8	i7-2720QM	2.2 GHz	6 MB	45 W	-		1.3 GHz		
						4/8	i7-2710QE	2.1 GHz	6 MB	45 W	-		1.2 GHz	DDR3-1066/1333	
						4/8	i7-2670QM	2.2 GHz	6 MB	45 W	-		1.1 GHz		
						2/4	i7-2640M	2.8 GHz	4 MB	35 W	-		1.3 GHz	DDR3-1066/1333	
						4/8	i7-2630QM	2 GHz	6 MB	45 W	-		1.1 GHz		
	2/4	i7-2620M				2.7 GHz	4 MB	35 W	-	1.3 GHz	DDR3/L 1333/1600				
	2/4	i5-3610ME				2.7 GHz	3 MB	35 W	-	950 MHz					
	Core™ i5	22nm Ivy Bridge	2/4		i5-3360M	2.8 GHz	3 MB	35 W	-	1.2 GHz	DDR3/L/-RS 1333/1600				
			2/4		i5-3320M	2.6 GHz	3 MB	35 W	-	1.2 GHz					
			2/4		i5-3210M	2.5 GHz	3 MB	35 W	-	1.1 GHz	DDR3-1066/1333				
			2/4		i5-2540M	2.6 GHz	3 MB	35 W	-	1.3 GHz					
	Core™ i5	32nm Sandy Bridge	2/4		i5-2520M	2.5 GHz	3 MB	35 W	-	1.3 GHz	DDR3-1066/1333				
			2/4		i5-2510E	2.5 GHz	3 MB	35 W	-	1.1 GHz					
			2/4		i5-2450M	2.5 GHz	3 MB	35 W	-	1.3 GHz					
			2/4		i5-2435M	2.4 GHz	3 MB	35 W	-	1.3 GHz					
			2/4		i5-2430M	2.4 GHz	3 MB	35 W	-	1.2 GHz					
			2/4		i5-2410M	2.3 GHz	3 MB	35 W	-	1.2 GHz					
	rPGA988B	Core™ i3	22nm Ivy Bridge		2/4	i3-3120M	2.5 GHz	3 MB	35 W	-	1.1 GHz	DDR3/L/-RS 1333/1600	QM77/ QM67/ HM65		
					2/4	i3-3110M	2.4 GHz	3 MB	35 W	-	1 GHz				
Core™ i3		32nm Sandy Bridge	2/4	i3-2370M	2.4 GHz	3 MB	35 W	-	1.15 GHz	DDR3-1066/1333					
			2/4	i3-2350M	2.3 GHz	3 MB	35 W	-	1.15 GHz						
			2/4	i3-2330M	2.2 GHz	3 MB	35 W	-	1.1 GHz						
			2/4	i3-2330E	2.2 GHz	3 MB	35 W	-	1.05 GHz						
			2/4	i3-2328M	2.2 GHz	3 MB	35 W	-	1.1 GHz						
			2/4	i3-2312M	2.1 GHz	3 MB	35 W	-	1.1 GHz						
Celeron®		32nm Sandy Bridge	2/2	i3-2310M	2.1 GHz	3 MB	35 W	-	1.1 GHz	DDR3-1066/1333					
			2/2	B840	1.9 GHz	2 MB	35 W	-	1 GHz						
			2/2	B830	1.8 GHz	2 MB	35 W	-	1.05 GHz						
			2/2	B820	1.7 GHz	2 MB	35 W	-	1.05 GHz						
			2/2	B815	1.6 GHz	2 MB	35 W	-	1.05 GHz						
			2/2	B810	1.6 GHz	2 MB	35 W	-	950 MHz						
			2/2	B800	1.5 GHz	2 MB	35 W	-	1 GHz						
			1/1	B720	1.7 GHz	2 MB	35 W	-	1 GHz						
			1/1	B710	1.6 GHz	1.5 MB	35 W	-	1 GHz						
			Socket988A	Core™ i7 Extreme Edition	45nm	Quad	PGA	i7-940XM	2.13G		8M	55W		-	-
i7-920XM	2.0G	8M						55W	-	-					
i7-840QM	1.86G	8M		45W				-	-						
i7-820QM	1.73G	8M		45W				-	-						
i7-740QM	1.73G	6M		45W				-	-						
i7-720QM	1.6G	6M		45W				-	-						
i7-640M	2.8G	4M		35W				-	-						
i7-620M	2.66G	4M		35W				-	-						
Core™ i5	Dual	i5-580M		2.66G				3M	35W	-	-	500MHz	1066 MHz 800 MHz		
		i5-560M		2.66G				3M	35W	-	-				
		i5-540M		2.53G				3M	35W	-	-				
		i5-520M		2.4G				3M	35W	-	-				
		i5-480M		2.66G		3M		35W	-	-					
		i5-460M		2.53G		3M		35W	-	-					
		i5-450M		2.4G		3M		35W	-	-					
		i5-430M		2.26G		3M		35W	-	-					
		Core™ i3		Dual		i3-390M		2.66G	3M	35W	-			-	
						i3-380M		2.53G	3M	35W	-			-	
						i3-370M		2.4G	3M	35W	-			-	
						i3-350M		2.26G	3M	35W	-			-	
i3-330M	2.13G					3M		35W	-	-					
P4600	2.0G					2M		35W	-	-					
Celeron®	Dual	P4500		1.86G		2M		35W	-	-					

Yellow means long-term support

\*HM65/HM55 chipset doesn't support Intel® AMT feature